

A grey space capsule is sent on a trip to the Moon. The surface is designed to reflect 50% of the incident sunlight (i.e. it is “grey” for wavelengths less than about 3 or 4 μm). The total intensity of radiation emitted by the surface (wavelengths longer than about 3 or 4 μm) are still described by σT^4 .

The capsule is spherical and has a radius of 3 meters.

The space capsule reaches thermal equilibrium after being bathed in sunlight for a few hours. The capsule is rotating and is made of thermally conducting metal, so that all sides have the same temperature. Find the temperature.

Missing /var/www/paradigms_media_2/media/activity_media/shadow-of-sunlight-from-sphere.png

Figure 1: **Hint:** The energy of the sunlight absorbed by a sphere can be calculated by finding the area of the shadow, which is also known as its cross-sectional area.

Solution We start by drawing an energy flow diagram.

Missing /var/www/paradigms_media_2/media/activity_media/grey-capsule-energy-flow_uCDAn5Z.pdf

The incoming energy from the sun is $\left[1360 \frac{\text{J}}{\text{s}\cdot\text{m}^2}\right] \pi r^2$, which comes from a circle with radius 3 meters. The reflected radiation is half of the incoming radiation. The blackbody emission is $(\sigma T^4)(4\pi r^2)$, which uses the area of a sphere.

$$\text{energy rate in} = \text{energy rate out} \quad (1)$$

$$I_{\odot} \pi r^2 = \frac{1}{2} I_{\odot} \pi r^2 + \sigma T^4 4\pi r^2 \quad (2)$$

$$\frac{1}{2} I_{\odot} = 4\sigma T^4 \quad (3)$$

$$T^4 = \frac{I_{\odot}}{8\sigma} \quad (4)$$

$$T = 234 \text{ K} \quad (5)$$

Sadly, this is too chilly for me. I guess I'll need to open a window on the sunny side?